


		INCH	MM
CROWN WHEEL BOLT PCD	D1	4.409	112
No. OF BOLTS		8	8
THREAD / THRO' HOLE		0.417	10.6
CROWN WHEEL SPIGOT DIA	D2	3.732	94.6
BEARING DIA	D3	1.3784	35.0
BEARING DISTANCE	L1	4.275	108.6
SPIGOT LENGTH	L2	0.672	17.1
	L2/A	0.668	17.0
OVERALL LENGTH	L3	5.615	142.6
BEARING/CROWN WHEEL	L4	0.295	7.5
BORE	D4	1.0046	25.5
DRIVE SHAFT SPLINE:-			
No. OF TEETH		22	
PITCH			
TYPE			
PRESSURE ANGLE			



TITLE R.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
<b>Drg. No.</b> QDF5P

**Quaife Design & Development.**

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF R.T. QUAIFF ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH.	GRIND@G
LIMITS. FRACT. $\pm 1/64"$	
DEC. $\pm 0.005"$	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 24.2.06	
DRAWN BY. M.L.M.	

**Used In.** SUZUKI CULTIS / SWIFT